

Hazardous according to criteria of Safe Work Australia

## 1 Identification

- **Other means of identification**
- **Trade name: SprintRay Ceramic Crown**
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Industrial and Professional Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Emergo Australia  
An Australian physical Address:  
Level 20 Tower II  
Darling Parrk  
201 Sussex Street  
Australia  
Australian Business Telephone Number: +61 9006 1662
- **Further information obtainable from:**  
Product safety department  
1-800-424-9300 (U.S.A. and Canada)
- **Emergency telephone number:**  
Emergency Telephone Number: +61 13 26 (poisons Information Centre)  
Contact Email: AUNZsponsor@ul.com and AUNZvigilance@ul.com

## 2 Hazard(s) Identification

- **Classification of the substance or mixture**

Eye damage/irritation – Category 2A	H319 Causes serious eye irritation.
Skin sensitisation – Category 1	H317 May cause an allergic skin reaction.
Carcinogenicity – Category 1A	H350 May cause cancer.
Specific target organ toxicity (single exposure) – Category 3	H335 May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) – Category 1	H372 Causes damage to organs through prolonged or repeated exposure.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07    GHS08    GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Silicon dioxide, chemically prepared (20–50 %)  
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate (5–30 %)  
3-trimethoxysilylpropyl methacrylate (0–2 %)

(Contd. on page 2)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 1)

· **Hazard statements**

- Causes serious eye irritation.
- May cause an allergic skin reaction.
- May cause cancer.
- May cause respiratory irritation.
- Causes damage to organs through prolonged or repeated exposure.
- Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.
- Do not breathe dust/fume/gas/mist/vapours/spray.
- Wear protective gloves/protective clothing/eye protection/face protection.
- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Other hazards**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable
- **vPvB:** Not applicable

**3 Composition and Information on Ingredients**

· **Chemical characterisation: Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

7631-86-9	Silicon dioxide, chemically prepared ⚠ Carcinogenicity – Category 1A, H350; Specific target organ toxicity (repeated exposure) – Category 1, H372; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	20-50%
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate ⚠ Skin sensitisation – Category 1B, H317	5-30%
2530-85-0	3-trimethoxysilylpropyl methacrylate ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335; Flammable liquids – Category 4, H227	0-2%
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide ⚠ Reproductive toxicity – Category 2, H361; ⚠ Aquatic Chronic 2, H411; ⚠ Skin sensitisation – Category 1B, H317	0-2%
13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] ⚠ Carcinogenicity – Category 2, H351	0-2%

· **SVHC**

75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
------------	---

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

AU

(Contd. on page 3)

Trade name: SprintRay Ceramic Crown

(Contd. of page 2)

#### 4 First Aid Measures

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

- **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

#### 5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

- **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

- **Protective equipment:** Mouth respiratory protective device.

#### \* 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and Storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- **Information about fire - and explosion protection:** Keep respiratory protective device available.

(Contd. on page 4)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 3)

- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls and personal protection

- **Appropriate engineering controls** No further data; see section 7.
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

AU

(Contd. on page 5)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 4)

### 9 Physical and Chemical Properties

· <b>General Information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined
· <b>pH-value:</b>	Not determined
· <b>Change in condition</b>	
· <b>Melting point/freezing point:</b>	Undetermined
· <b>Initial boiling point and boiling range:</b>	Undetermined
· <b>Flash point:</b>	Not applicable
· <b>Flammability</b>	Not applicable
· <b>Decomposition temperature:</b>	Not determined
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
· <b>Lower:</b>	Not determined
· <b>Upper:</b>	Not determined
· <b>Vapour pressure:</b>	Not determined
· <b>Density:</b>	Not determined
· <b>Relative density</b>	Not determined
· <b>Vapour density</b>	Not determined
· <b>Evaporation rate</b>	Not determined
· <b>Solubility in / Miscibility with</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined
· <b>Kinematic:</b>	Not determined
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	0.00 %
· <b>Other information</b>	
· <b>Particle characteristics</b>	Not applicable
· <b>Physical state</b>	Liquid

### 10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 5)

· <b>LD/LC50 values relevant for classification:</b>		
<b>7631-86-9 Silicon dioxide, chemically prepared</b>		
Oral	LD50	10,000 mg/kg (rat)
<b>13463-67-7 titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]</b>		
Oral	LD50	>20,000 mg/kg (rat)
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>6.82 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**12 Ecological Information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**  
*Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
 Do not allow product to reach ground water, water course or sewage system.  
 Danger to drinking water if even small quantities leak into the ground.  
 Also poisonous for fish and plankton in water bodies.  
 Toxic for aquatic organisms*
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation**  
*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 6)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

· UN-Number	
· ADG, IMDG, IATA	not regulated
· UN proper shipping name	
· ADG, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· ADG, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable
· Special precautions for user	Not applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
· UN "Model Regulation":	not regulated

### 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· <b>Australian Inventory of Industrial Chemicals</b>	
7631-86-9	Silicon dioxide, chemically prepared
1565-94-2	(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] bismethacrylate
10595-06-9	2-phenoxyethyl methacrylate
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate
2530-85-0	3-trimethoxysilylpropyl methacrylate
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica
13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

· **Standard for the Uniform Scheduling of Medicines and Poisons**

None of the ingredients is listed.

· **Australia: Priority Existing Chemicals**

None of the ingredients is listed.

· **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS07

GHS08

GHS09

(Contd. on page 8)

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 7)

· **Signal word** *Danger*

· **Hazard-determining components of labelling:**

*Silicon dioxide, chemically prepared (20–50 %)*

*7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate (5–30 %)*

*3-trimethoxysilylpropyl methacrylate (0–2 %)*

· **Hazard statements**

*Causes serious eye irritation.*

*May cause an allergic skin reaction.*

*May cause cancer.*

*May cause respiratory irritation.*

*Causes damage to organs through prolonged or repeated exposure.*

*Toxic to aquatic life with long lasting effects.*

· **Precautionary statements**

*If medical advice is needed, have product container or label at hand.*

*Keep out of reach of children.*

*Read label before use.*

*Do not breathe dust/fume/gas/mist/vapours/spray.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.*

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** *None of the ingredients is listed.*

· **National regulations:**

· **Information about limitation of use:**

*Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.*

*Exceptions can be made by the authorities in certain cases.*

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
------------	---

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H227 Combustible liquid.*

*H315 Causes skin irritation.*

*H317 May cause an allergic skin reaction.*

*H319 Causes serious eye irritation.*

*H335 May cause respiratory irritation.*

*H350 May cause cancer.*

*H351 Suspected of causing cancer.*

*H361 Suspected of damaging fertility or the unborn child.*

*H372 Causes damage to organs through prolonged or repeated exposure.*

*H411 Toxic to aquatic life with long lasting effects.*

· **Department issuing SDS:** *Environment protection department.*

(Contd. on page 9)

# Safety Data Sheet

according to WHS Regulations

Page 9/9

Date of issue: 2026-05-18

Revision: 2026-05-15

**Trade name: SprintRay Ceramic Crown**

(Contd. of page 8)

· **Contact:** -

· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*SVHC: Substances of Very High Concern*

*vPvB: very Persistent and very Bioaccumulative*

*Flammable liquids – Category 4: Flammable liquids – Category 4*

*Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2*

*Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A*

*Skin sensitisation – Category 1: Skin sensitisation – Category 1*

*Skin sensitisation – Category 1B: Skin sensitisation – Category 1B*

*Carcinogenicity – Category 1A: Carcinogenicity – Category 1A*

*Carcinogenicity – Category 2: Carcinogenicity – Category 2*

*Reproductive toxicity – Category 2: Reproductive toxicity – Category 2*

*Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3*

*Specific target organ toxicity (repeated exposure) – Category 1: Specific target organ toxicity (repeated exposure) – Category 1*

*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

· **\* Data compared to the previous version altered.**

AU