

Safety Data Sheet

according to WHS Regulations

Revision: 23.08.2026

Hazardous according to criteria of Safe Work Australia

1 Identification

- **Other means of identification**
- **Trade name: SprintRay OnX Tough 2**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Industrial and Professional Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Emergo Australia
An Australian physical Address:
Level 20 Tower II
Darling Parrk
201 Sussex Street
Australia
Australian Business Telephone Number: +61 9006 1662
- **Further information obtainable from:**
Product safety department
1-800-424-9300 (U.S.A. and Canada)
- **Emergency telephone number:**
Emergency Telephone Number: +61 13 11 26 (poisons Information Centre)
Contact Email: AUNZsponsor@ul.com and AUNZvigilance@ul.com

2 Hazard(s) Identification

- **Classification of the substance or mixture**

Skin corrosion/irritation – Category 2	H315 Causes skin irritation.
Eye damage/irritation – Category 2A	H319 Causes serious eye irritation.
Skin sensitisation – Category 1	H317 May cause an allergic skin reaction.
Carcinogenicity – Category 1A	H350 May cause cancer.
Reproductive toxicity – Category 1B	H360Fd May damage fertility. Suspected of damaging the unborn child.
Specific target organ toxicity (single exposure) – Category 3	H335 May cause respiratory irritation.
Specific target organ toxicity (repeated exposure) – Category 1	H372 Causes damage to organs through prolonged or repeated exposure.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS07 GHS08 GHS09

- **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 1)

Hazard-determining components of labelling:

Silicon dioxide, chemically prepared (20–50 %)

Urathane Methacrylate (10–40 %)

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (>0.001–2 %)

2-hydroxyethyl methacrylate (10–40 %)

7,7,9(or 7,9,9)-trimethyl–4,13-dioxo–3,14-dioxo–5,12-diazahehexadecane–1,16-diylbismethacrylate (10–40 %)

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause cancer.

May damage fertility. Suspected of damaging the unborn child.

May cause respiratory irritation.

Causes damage to organs through prolonged or repeated exposure.

Toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable**vPvB:** Not applicable

3 Composition and Information on Ingredients

Chemical characterisation: Mixtures**Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

7631-86-9	Silicon dioxide, chemically prepared ⚠ Carcinogenicity – Category 1A, H350; Specific target organ toxicity (repeated exposure) – Category 1, H372; ⚠ Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	20-50%
	Urathane Methacrylate ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317; Aquatic Chronic 3, H412	10-40%
72869-86-4	7,7,9(or 7,9,9)-trimethyl–4,13-dioxo–3,14-dioxo–5,12-diazahehexadecane–1,16-diylbismethacrylate ⚠ Skin sensitisation – Category 1B, H317	10-40%
868-77-9	2-hydroxyethyl methacrylate ⚠ Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Skin sensitisation – Category 1, H317	10-40%
	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide ⚠ Reproductive toxicity – Category 1B, H360Fd; ⚠ Aquatic Chronic 2, H411; ⚠ Skin sensitisation – Category 1B, H317	>0.001 - 2%

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 2)

· **SVHC**

diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

- **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

- **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 3)

*Open and handle receptacle with care.**Prevent formation of aerosols.*· **Information about fire - and explosion protection:** *Keep respiratory protective device available.*· **Storage:**· **Requirements to be met by storerooms and receptacles:** *No special requirements.*· **Information about storage in one common storage facility:** *Not required*· **Further information about storage conditions:** *Keep container tightly sealed.*· **Specific end use(s)** *No further relevant information available.*

8 Exposure controls and personal protection

· **Appropriate engineering controls** *No further data; see section 7.*· **Ingredients with limit values that require monitoring at the workplace:***The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.*· **Additional information:** *The lists valid during the making were used as basis.*· **Personal protective equipment:**· **General protective and hygienic measures:***Keep away from foodstuffs, beverages and feed.**Immediately remove all soiled and contaminated clothing**Wash hands before breaks and at the end of work.**Store protective clothing separately.**Avoid contact with the eyes and skin.*· **Respiratory protection:***In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.*· **Protection of hands:**

Protective gloves

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.**Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.**Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*· **Material of gloves***The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*· **Penetration time of glove material***The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*· **Eye protection:**

Tightly sealed goggles

AU

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 4)

9 Physical and Chemical Properties

· General Information	
· Appearance:	
· Form:	Fluid
· Colour:	According to product specification
· Odour:	Characteristic
· Odour threshold:	Not determined
· pH-value:	Not determined
· Change in condition	
· Melting point/freezing point:	Undetermined
· Initial boiling point and boiling range:	Undetermined
· Flash point:	Not applicable
· Flammability	Not applicable
· Decomposition temperature:	Not determined
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined
· Upper:	Not determined
· Vapour pressure:	1 hPa
· Density:	Not determined
· Relative density	Not determined
· Vapour density	Not determined
· Evaporation rate	Not determined
· Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined
· Viscosity:	
· Dynamic:	Not determined
· Kinematic:	Not determined
· Solvent content:	
· VOC (EC)	0.00 %
· Other information	
· Particle characteristics	Not applicable
· Physical state	Liquid

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 5)

· **LD/LC50 values relevant for classification:**

7631-86-9 Silicon dioxide, chemically prepared

Oral	LD50	10,000 mg/kg (rat)
------	------	--------------------

868-77-9 2-hydroxyethyl methacrylate

Oral	LD50	5,050 mg/kg (rat)
------	------	-------------------

· **Primary irritant effect:**

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** May damage fertility. Suspected of damaging the unborn child.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
 Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
 Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
 Also poisonous for fish and plankton in water bodies.
 Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

AU

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: SprintRay OnX Tough 2

(Contd. of page 6)

14 Transport information

· UN-Number	
· ADG, IMDG, IATA	not regulated
· UN proper shipping name	
· ADG, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADG, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· ADG, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable
· Special precautions for user	Not applicable
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable
· UN "Model Regulation":	not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals	
7631-86-9	Silicon dioxide, chemically prepared
72869-86-4	7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahehexadecane-1,16-diylbismethacrylate
868-77-9	2-hydroxyethyl methacrylate
	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica
13463-67-7	titanium dioxide [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]
131-57-7	oxybenzone

· Standard for the Uniform Scheduling of Medicines and Poisons

868-77-9	2-hydroxyethyl methacrylate	S5
----------	-----------------------------	----

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS07 GHS08 GHS09

· Signal word Danger

· Hazard-determining components of labelling:

Silicon dioxide, chemically prepared (20–50 %)

Urathane Methacrylate (10–40 %)

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: **SprintRay OnX Tough 2**

(Contd. of page 7)

*diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide (>0.001–2 %)**2-hydroxyethyl methacrylate (10–40 %)**7,7,9(or 7,9,9)-trimethyl–4,13-dioxo–3,14-dioxo–5,12-diazahehexadecane–1,16-diylbismethacrylate (10–40 %)***· Hazard statements***Causes skin irritation.**Causes serious eye irritation.**May cause an allergic skin reaction.**May cause cancer.**May damage fertility. Suspected of damaging the unborn child.**May cause respiratory irritation.**Causes damage to organs through prolonged or repeated exposure.**Toxic to aquatic life with long lasting effects.***· Precautionary statements***If medical advice is needed, have product container or label at hand.**Keep out of reach of children.**Read label before use.**Do not breathe dust/fume/gas/mist/vapours/spray.**Wear protective gloves/protective clothing/eye protection/face protection.**IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.**Continue rinsing.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· Directive 2012/18/EU****· Named dangerous substances - ANNEX I** *None of the ingredients is listed.***· National regulations:****· Information about limitation of use:***Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.**Exceptions can be made by the authorities in certain cases.***· Other regulations, limitations and prohibitive regulations****· Substances of very high concern (SVHC) according to REACH, Article 57***diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide***· Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***· Relevant phrases***H315 Causes skin irritation.**H317 May cause an allergic skin reaction.**H319 Causes serious eye irritation.**H335 May cause respiratory irritation.**H350 May cause cancer.**H360Fd May damage fertility. Suspected of damaging the unborn child.**H372 Causes damage to organs through prolonged or repeated exposure.**H411 Toxic to aquatic life with long lasting effects.**H412 Harmful to aquatic life with long lasting effects.***· Department issuing SDS:** *Environment protection department.***· Contact:** *-*

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Date of issue: 23.08.2026

Revision: 23.08.2026

Trade name: **SprintRay OnX Tough 2**

(Contd. of page 8)

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Skin sensitisation – Category 1: Skin sensitisation – Category 1

Skin sensitisation – Category 1B: Skin sensitisation – Category 1B

Carcinogenicity – Category 1A: Carcinogenicity – Category 1A

Reproductive toxicity – Category 1B: Reproductive toxicity – Category 1B

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· *** Data compared to the previous version altered.**

AU